$\label{eq:table 2.} \begin{tabular}{ll} TABLE~2. Number, incidence $rate^1$, and median days$^2$ away from work for nonfatal occupational injuries and illnesses involving days away from work$^3$ for musculoskeletal disorders$^4$ by part of body and ownership, Michigan, 2014 $^2$ away from work$^3$ for musculoskeletal disorders$^4$ by part of body and ownership, $$m$ injuries and illnesses involving days away from work$^3$ for musculoskeletal disorders$^4$ by part of body and ownership, $$m$ injuries and illnesses involving days away from work$^4$ for musculoskeletal disorders$^4$ by part of body and ownership, $$m$ injuries and illnesses involving days away from work$^4$ for musculoskeletal disorders$^4$ by part of body and ownership, $$m$ injuries are $m$ injuries and illnesses involving days away from work$^4$ for musculoskeletal disorders$^4$ by part of body and ownership, $$m$ injuries are $m$ injuries and illnesses involving days away from $m$ injuries are $m$ injuries and $m$ injuries are $m$ injuries and $m$ injuries are $m$ injuries and $m$ injuries are $m$ injuries are $m$ injuries and $m$ injuries and $m$ injuries are $m$ injuries and $m$ injuries are $m$ injuries and $m$ injuries are $m$ injuries are $m$ injuries and $m$ injuries are $m$ injuries are $m$ injuries and $m$ injuries are $m$ injuries are $m$ injuries and $m$ injuries are $m$ injuries are $m$ injuries and $m$ injuries are $m$ injuries a$ 

Part	Musculoskeletal disorders (MSDs)		
	Number	Incidence rate	Median days away from work
Total private industry <sup>5,6,7</sup>	8,550	30.7	13
Head	30	.1	5
Head, unspecified	30	.1	5
Neck, including throat  Neck, except internal location of diseases or disorders	120 120	.4 .4	7 7
Trook, except internal redation of discusses of discussion	120		,
Trunk	4,070	14.6	10
Chest, including ribs, internal organs	90	.3	4
Chest, except internal location of diseases or disorders	90	.3	4
Back, including spine, spinal cord	3,080	11.1	7
Back, including spine, spinal cord, unspecified	1,210	4.4	9
Thoracic region	160	.6 5.6	6 7
Lumbar region	1,560 140	5.6 .5	6
Abdomen	670	2.4	30
Abdomen, except internal location of diseases or disorders	670	2.4	30
Pelvic region	210	.7	11
Hip(s)	60	.2	4
Groin	140	.5	17
Multiple trunk locations	20	.1	26
Jpper extremities	2,860	10.3	20
Shoulder(s), including clavicle(s), scapula(e)	1,480	5.3	27
Arm(s)	400	1.5	21
Arm(s), unspecified	100	.3	22
Upper arm(s)	80	.3	55
Elbow(s)	170	.6	5
Forearm(s)	30	.1	42
Multiple arm locations	20 540	.1 1.9	45 17
Wrist(s)	200	.7	10
Hand(s), unspecified	80	.3	7
Finger(s), fingernail(s)	110	.4	17
Finger(s), fingernail(s), unspecified	80	.3	17
Finger(s), fingernail(s), n.e.c.	20	.1	7
Hand(s) and finger(s)	20	.1	30
Multiple upper extremities locations	210	.8	27
Hand(s) and wrist(s)	30	.1	9
Shoulder(s) and arm(s)	120 50	.4 .2	31 55
_ower extremities	1,220	4.4	20
Leg(s)	820	2.9	20
Leg(s), unspecified	20	.1	15
Knee(s)	710	2.6	21
Lower leg(s)	50	.2	5
Multiple leg locations	30	.1	1
Knee(s) and leg(s)	20	1	1
Ankle(s)	320	1.1	9
Foot (feet)	50 50	.2	3 3
Foot (feet), unspecified	40	.1	75
Foot (feet) and ankle(s)	20	1 .1	90
Multiple lower extremities locations, n.e.c.	20	.1	65
Multiple body parts	250	.9	17
Neck and back	40	.1	18
Shoulder(s) and back	40 150	.2 .5	7 23
Other multiple body parts	150 150	.5 .5	23
		27.1	14
Total state government <sup>5,6,7</sup>	340	27.1	14
Total state government <sup>5,6,7</sup>	340 130	10.5	5

See footnotes at end of table.

TABLE 2. Number, incidence rate<sup>1</sup>, and median days<sup>2</sup> away from work for nonfatal occupational injuries and illnesses involving days away from work<sup>3</sup> for musculoskeletal disorders<sup>4</sup> by part of body and ownership, Michigan, 2014 — Continued

	Musculoskeletal disorders (MSDs)		
Part	Number	Incidence rate	Median days away from work
Back, including spine, spinal cord, unspecified	50	4.0	2
Lumbar region	70	5.3	20
Upper extremities	70	5.8	58
Shoulder(s), including clavicle(s), scapula(e)	50	4.1	62
Lower extremities	100	8.4	14
Leg(s)	70	5.4	16
Knee(s)	40	3.4	14
Multiple leg locations	20	1.6	16
Ankle(s)	30	2.5	3
Multiple body parts	30	2.3	16
Total local government <sup>5,6,7</sup>	730	30.5	11
Trunk	390	16.4	9
Back, including spine, spinal cord	300	12.6	9
Back, including spine, spinal cord, unspecified	70	2.9	4
Lumbar region	190	7.8	9
Multiple back regions	50	1.9	36
Pelvic region	60	2.6	9
Groin	60	2.3	9
Upper extremities	220	9.2	20
Shoulder(s), including clavicle(s), scapula(e)	150	6.2	40
Wrist(s)	20	.8	20
Hand(s)	30	1.2	24
Multiple upper extremities locations	20	.8	1
Multiple upper extremities locations, n.e.c.	20	.7	1
Lower extremities	90	3.8	35
Leg(s)	60	2.7	43
Knee(s)	60	2.5	43
Multiple body parts	30	1.2	7

See footnotes at end of table.

TABLE 2. Number, incidence rate<sup>1</sup>, and median days<sup>2</sup> away from work for nonfatal occupational injuries and illnesses involving days away from work<sup>3</sup> for musculoskeletal disorders<sup>4</sup> by part of body and ownership, Michigan, 2014 — Continued

	Musculoskeletal disorders (MSDs)		
Part	Number	Incidence rate	Median days away from work
Other multiple body parts	30 30	1.2 1.2	7 7

<sup>&</sup>lt;sup>1</sup> The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as (N/EH) x 20,000,000, where

N = number of injuries and illnesses

EH = total hours worked by all employees during the calendar year 20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

- Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved fewer days than a specified median. Median days away from work are represented in actual values.
  - 3 Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.
- <sup>4</sup> Musculoskeletal disorders include cases in which the nature of the injury or illness is pinched nerve; herniated disc; meniscus tear; sprains, strains, tears; hernia (traumatic and nontraumatic); pain, swelling, and numbness; carpal or tarsal tunnel syndrome; Raynaud's syndrome or phenomenon; musculoskeletal system and connective tissue diseases and disorders, and when the event or exposure leading to the injury or illness is overexertion and bodily reaction, unspecified; overexertion involving outside sources; repetitive motion involving microtasks; other and multiple exertions or bodily reactions; and rubbed, abraded, or jarred by vibration.
  - <sup>5</sup> Excludes farms with fewer than 11 employees.
  - Data for Mining (Sector 21 in the North American Industry Classification System-- United States, 2012) include establishments not governed by the Mine Safety and Health Administration rules and reporting, such as those in Oil and Gas Extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore, estimates for these industries are not comparable to estimates in other industries.
  - Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.